

CHNY-DEG (二乙二醇 Diethylene Glycol)

不飽和聚酯樹脂(UPR)原料，織物軟化劑，塑化劑及表面活化劑。例如製造水泥助磨劑，工業用剎車油等之原料。

The raw material of Unsaturated polyester resin(UPR)、Fabric softener、Plasticizer & Surfactant、Cement grinding aids & Brake oil for industrial use。

No	COMPONENT	UNIT	SPECIFICATION	COM.
1	外觀 Appearance	澄清，無色(Clear, Colorless)		
2	比重 Specific Gravity	(20/20°C)	1.117~1.120	
3	DEG 含量(DEG Content)		≥ 99.8 wt%	
4	蒸餾範圍(760mm Hg) Distillation Range	5 vol %	≥ 242°C	
		95 vol %	≤ 248°C	
5	水份 WATER		≤ 0.1 wt%	
6	色度 Color	(Pt-Co)	≤ 15 APHA	
7	酸度 Acidity (as 醋酸 acetic acid)		≤ 50 wt ppm	
8	灰份 Ash		≤ 50 wt ppm	

無色，幾乎無臭，漿狀液體，略甜的味道，吸濕，無腐蝕性，可降低水的凝固點，可與水、乙醇、丙酮、乙醚與乙二醇互溶。

Clear、Mild Odor、Sweet、Hygroscopic、Liquid like syrup、Non-corrosive、Reduce the freezing point of water、Soluble In Water & Ethanol & Acetone & Ether & Ethylene Glycol(MEG)。

免責聲明:本公司對上述產品的說明或陳述，不負法律擔保責任。使用者應自行判斷對採用產品的適用性及可行性，做出最後決定，並負全責。

Disclaimer:

It makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility.