WOAP 68

(TECHNICAL GRADE WHITE OIL)

Meets the requirements of US FDA 21 CFR 178.3620(b) Standards.

SR NO	Characteristics	Unit	Test Method	Typical Data	
				Min	Max
1	Appearance		Visual	Transparent, colourless, bright and clear oily liquid.	
2	Color	Saybolt	ASTM D 156	+25	-
3	Density at 25℃	gms/ml	ASTM D 1298	0.85	0.88
4	Kinematic viscosity at 40°C	cSt	ASTM D 445	61. 2	74. 8
5	Flash Point, (COC)	$^{\circ}\! \mathbb{C}$	ASTM D 92	200	-
6	Pour Point	$^{\circ}\! \mathbb{C}$	ASTM D 97	_	-9
7	Ultraviolet Absorbance , 280 to 289 nm 290 to 299 nm 300 to 329 nm 330 to 350 nm	Abs/cm	CFR 178. 3620(b)		4. 0 3. 3 2. 3 0. 8

WOAP 68 is a high white oil formulated from highly refined hydrotreated base oils which is colourless, tasteless and odorless. It meets requirements of US FDA 21 CFR 178.3620(b).

Application: WOAP White Oils are suitable for use in process requiring clear white oils. They find extensive usage in textile processing (non staining lubrication), incense & perfume manufacture, plastic, paper and cosmetic industries, several oil based formulations, hair oils, hair lotions, shoe polish and petroleum jelly manufacturing industries.

Performance Benefits: Excellent oxidation resistant

High film strength

Non staining